



---

## WARRANTY, DISCLAIMER AND POLICIES

---

### One Year Limited Warranty

Olympia Auto Parts Warrants OAW water pumps to be free from defects in material and workmanship under normal operating and servicing condition for a period of one year from the date of purchase. This Warranty is not transferable and is valid only to the original purchaser. The warranty is limited to the replacement of the product only. It does not include labor or any incidental and consequential costs. Products damage from accidents, alteration, misuse or modifications are not covered by this limited warranty. There is no other expressed or implied warranty on OAW water pump.

### Disclaimer

The information contained within this catalog has been compiled with the utmost care and is based exclusively on data available at the time of production. Every attempt has been made to ensure the accuracy and quality of the data. While Olympia Auto Parts, Inc believes the information in the catalog to be correct and accurate, Olympia Auto Parts, Inc does not warrant the accuracy of the data and information contained herein and specifically disclaims any and all liability due to errors or omissions.

### Return Goods

There will be a 10% restocking fee for merchandise returned in sellable condition. All returns must first obtain a Return Merchandise Authorization from Olympia Auto Parts. Damaged products will not be accepted and will be denied credit unless it qualifies under the limited warranty. No returns allow after six months from purchase date. All returned items must be shipped prepaid.

### Payment Terms

*All new customers will be on cash basis* unless customer has submitted a credit application for open account. An open account will be established upon the approval of credit application by Olympia Auto Parts management.

The invoice is billed on the date shipment is pickup by the shipping company. A 5% service charge will be assessed on past due balances over one week old. Account with over 30 days past due invoice will automatically be placed on cash only basis until the invoice is paid. Account with over 60 days past due invoice will be placed on cash only basis permanently.

---

## Engine Identification

The engine code may be one or more of the digits which make up the vehicle identification number.

### DOMESTIC VEHICLES

Engine Code Location: marked on a tag located on the upper left (driver's) side of the dash panel.

It is visible from outside the vehicle, through the windshield on the driver's side.

G.M., Ford, Chrysler, 1981 - 1999: 8th digit ex: 1 G 3 C Z 5 **1** 3 3 H 4 3 4 4 3 4 4

G.M., Ford, Chrysler, 1975 - 1980: 5th digit ex: 1 G 3 C Z 5 **1** 3 3 H 4 3 4

Jeep, Eagle, AMC, 1981 - 1990: 4th digit ex: 1 G 3 C Z 5 **1** 3 3 H 4 3 4 4 3 4 4

Jeep, Eagle, AMC, 1975 - 1980: 7th digit ex: 1 G 3 C Z 5 **1** 3 3 H 4 3 4

**ACURA:** H J 4 D B 1 5 7 M S 1 1 1 1 1 1

Model/Engine Code Location: marked on a tag located on the upper left (driver's) side of the dash panel. It is visible from outside the vehicle, through the windshield on the driver's side.

### HONDA

Engine code location: 73-93 -> right rear of the engine by the distributor.  
94-96 -> Front of the engine, near motor mount, marked on a tag located on the upper left (driver's) side of the dash panel

It is visible from outside the vehicle, through the windshield on the driver's side left front pillar.

### HYUNDAI

Engine code location: stamped on a tag located at the right front side on the top edge of the cylinder head.

ex: 2 M H V F 3 3 P 9 M B 0 0 0 0 0 0

**ISUZU:** J A B R T 2 3 5 L M 4 0 0 0 0 0 0

Engine Code Location: upper left (driver's) side dash panel. Visible through windshield.

### NISSAN

Engine code location: marked on the right side of the cylinder block.

V.I.N. Location : Pick up (620-720) : on right hand frame rail  
Other models : On cowl dash panel

### TOYOTA

Year, Make, Model and Engine information can be found on data plate in engine compartment on fire wall, above wheel well, or on driver's door post.

## **Technical Information**

### **Cooling System Overview**

As vehicles have become more complex, so have cooling systems. Therefore you must take precautions when installing the water pump. The cooling system's primary responsibility is to remove from the engine excess heat so that the engine will maintain proper operating temperature. Nearly all vehicles use a liquid cooling system. The coolant fluid flows through the engine block and heads to dissipate heat. The fluid is then pumped back to the radiator to be cooled and to be re-circulated in the engine.

Basically, the cooling system consists of several components and the heart is the water pump.

### **Water Pump**

It delivers a continuous flow of coolant through the radiator and the engine. A paddle style impeller mounted inside the water pump housing, rotating on the bearing supported shaft is responsible for moving the coolant. The impeller shaft is driven externally by a belt or directly driven by a shaft.

Water pumps do not require direct maintenance. Keeping the coolant clean and fresh and the belts properly tensioned is about all the maintenance the water pump requires.

### **Water Pump Inspection**

Seepage from the vent hole is a sure sign of seal failure. To check for this, you must carefully inspect around the vent hole for trails of rust or coolant deposits on the water pump housing. If you see rust or coolant deposits on the water pump, you will need to replace the water pump.

Worn water pump bearing can be detected by checking for side-to-side play at the shaft. There should be no perceptible play as you apply hand pressure to the shaft. Also, there should be no perceptible noise from the water pump when the engine is operating. A noisy pump means the water pump needs to be replaced.

### **Water Pump Installation Tips**

- DO FLUSH your cooling system of all sediments, rust, scale with chemical flush.
- DO NOT install a water pump in a contaminated system.
- DO NOT STRIKE water pump shaft. This can damage the bearing.
- DO HAND START all bolts and tighten in staggered sequence to factory torque specifications.
- DO TURN pump shaft by hand to check for free rotation after installation on the engine
- DO CHECK radiator hoses and belts
  - Replace all swollen or collapsed hoses
  - Fan belts that are frayed or cracked must be replaced
- DO CHECK thermostat and radiator cap.
- DO CHECK for bent or damaged fan blades. NEVER STRAIGHTEN A BENT BLADE.
- DO CHECK fan clutch for loss of oil, looseness or wobble vibration caused by a damaged or worn out fan. Fan clutch will damage the water pump. We do recommend the replacement of the viscous clutch unit at the time of installation of the new or remanufactured water pump.
- DO CHECK all pulleys for proper alignment

## Technical Information



- DO NOT over tighten fan belts. Excessive fan belt tension is the number one cause of water pump failure. This puts excessive pressure on the bearing; adjust fan belts to factory recommended tension.
- DO START the engine and run until normal operating temperature is reached. Check for leaks and thermostat operation.
- DO PERFORM the air bleeding procedure properly.
- DO NOT stand in line with the fan blade when running the engine

### Standard or Reverse Rotation Water Pumps

Refer to the belt path diagram under the hood, typically located on the fan shroud front fender brace or located the water pump pulley on the vehicle.

Compare with the diagram below. Water pump pulleys running on the inside surface of the belt indicated a Standard Rotation water pump. Water pump pulleys running on the outside surface of the belt indicated a Reverse Rotation water pump.

**Caution:** Standard and reverse rotation water pumps are not interchangeable. Serious engine damage can result from the use of the wrong pump.





# Installation Instruction

Please follow all instructions furnished with the pump. Failure to follow instructions can void your warranty.

Note: Always refer to your vehicle manufacturer's repair manual for the exact procedures and specifications when replacing your water pumps.

Before working on an engine, disconnect the battery ground cable. (Refer to the owner's manual and OEM instructions for restarting after reconnecting it.)

CHECK EVERYTHING WHILE INSTALLING YOUR NEW WATER PUMP TO HELP AVOID FUTURE FAILURES.

Note: The following can cause a water pump failure: Dirty or corrosive coolant or systems; defective, bent or unbalanced fan; defective or unbalanced clutch; wrong belt tension; fan shroud or radiator interference; loose or broken motor mounts. DO NOT STRIKE THE END OF THE BEARING SHAFT.

Use a 50/50 mixture of new antifreeze and distilled water or its equivalent. (High mineral content, Acid or alkaline water reduces pump life, voiding its warranty.) Increase the amount of antifreeze only if needed for your winters. A 50/50 ratio using low silicate antifreeze is best for optimum cooling and prolonged pump life.

FOR YOUR PROTECTION, NEVER STAND IN LINE WITH THE FAN WHEN RUNNING THE ENGINE; NEVER REMOVE THE RADIATOR CAP WHEN THE SYSTEM IS HOT.

Follow this sequence:

- I. REMOVING OLD WATER PUMP FROM THE ENGINE:
  1. IF THE OLD PUMP WILL CIRCULATE COOLANT THROUGH THE ENGINE, CLEAN THE COOLANT SYSTEM WITH A CHEMICAL CLEANER AND REVERSE FLUSH ALL SEDIMENT, RUST AND SCALE BEFORE REMOVING OLD PUMP.
  2. Drain coolant from radiator and engine block.
  3. Disconnect and inspect all hoses from old water pump, and inspect and disconnect fan belts riding on pulley connected to water pump. On vehicles equipped with timing belts, care must be taken when removing water pump so that engine timing is not disturbed which would result in internal engine damage.
  4. Remove fan, fan clutch (if equipped) and pulley from old water pump. Inspect and replace if necessary.
  5. Inspect fan tensioner if equipped, and replace if necessary.
  6. Remove old water pump from engine making note of location of any special bolt or fastener.

--- continued on reverse side ---

# Instrucciones de Instalacion

Siga todas las instrucciones que se suministran con la bomba. El no seguir las instrucciones puede invalidar la garantía.

Nota: Cuando vaya a reemplazar la bomba de agua, consulte siempre el manual de reparaciones publicado por el fabricante de su vehículo para obtener los procedimientos exactos y las especificaciones respectivas.

Antes de trabajar en un motor, desconecte el cable de aterramiento de la batería (acumulador). (Consulte el manual del usuario y las instrucciones del fabricante de equipo original para arrancar de nuevo el motor después de reconectarlo).

VERIFIQUE TODO AL INSTALAR SU NUEVA BOMBA DE AGUA PARA AYUDARLE A EVITAR FALLAS FUTURAS.

Nota: Las siguientes causas pueden ocasionar fallas en la bomba de agua: fluido refrigerante o sistemas sucios o corrosivos; ventilado defectuoso, doblado o desbalanceado; embrague defectuoso o desbalanceado; tensión incorrecta de la banda; interferencia del recubrimiento del ventilador o del radiado; montajes del motor sueltos o rotos; golpes al extremo del eje de los cojinetes.

Use una mezcla de anticongelante fresco y agua destilada o su equivalente en proporciones iguales (50/50). (El agua ácida, alcalina o con alto contenido de minerales reduce la vida de la bomba e invalida la garantía.) Aumente la cantidad de anticongelante sólo si lo necesita para el invierno. Una relación de 50/50 usando anticongelante de bajo silicato es lo mejor para un enfriamiento óptimo y para prolongar la vida de la bomba.

PARA SU SEGURIDAD, NUNCA SE PARE CERCA DEL VENTILADOR CUANDO EL MOTOR ESTE FUNCTIONANDO; NUNCA quite la tapa del radiador cuando el sistema esta caliente.

Siga las instrucciones en este orden:

- I. Saque la bomba de agua vieja del motor:
  1. SI LA BOMBA VIEJA TODAVÍA HACE CIRCULAR EL REFRIGERANTE POR EL MOTOR, LIMPIE EL SISTEMA DE REFRIGERACIÓN CON UN LIMPIADOR QUÍMICO Y DESCARGUE POR CONTRAFLUJO TODO EL SEDIMENTO, ÓXIDO Y CASCARILLA ANTES DE DESMONTAR LA BOMBA VIEJA.
  2. Vacíe el refrigerante del radiador y bloque del motor.
  3. Desconecte e inspeccione todas las mangueras de la bomba vieja, e inspeccione y desconecte las bandas del ventilador en la polea conectada a la bomba de agua. En los vehículos equipados con bandas de regulación, se debe tener cuidado al desmontar la bomba de agua de tal modo que no se estorbe la regulación del motor, lo que podría causarle daños internos.
  4. Saque el ventilador, polea termica (si lo tiene) y la polea de la bomba vieja. Inspeccione y si es necesario reemplace.
  5. Inspeccione el tensor del ventilador, si lo tiene, y reemplácelo si es necesario.
  6. Saque la bomba de agua vieja del motor tomando nota de la ubicación de cualquier perno o fijación especial.

--- sigue al reverso ---

## II. INSTALLING THE NEW WATER PUMP:

1. Always thoroughly clean the entire cooling system, engine cavity and gasket surface. Tighten any backplate bolts, as needed.

2. Position new gaskets on the pump using sealer on both sides. Note: If using a self curing , silicone type gasket sealer from a tube, don't apply excessive amount. Excess may be squeezed out into water pump and clog cooling passages.

3. If water pump is equipped with o-rings, care must be taken to avoid damage. Carefully clean o-ring surfaces. Apply suitable rubber lubricant to o-rings and o-ring sealing surfaces prior to attempting to install pump or o-ring mating components. Install pump or components by applying light pressure and using twisting motion. Pump or mating parts should slide in with a small amount of effort. DO NOT FORCE PARTS TOGETHER. If parts fail to join smoothly at first, remove and inspect for debris. Repeat procedure until parts slide together easily.

4. Install new water pump on engine block. Do not strike the shaft. Tighten mounting bolts gradually and evenly in a staggered sequence to vehicle manufacturer's torque specifications.

5. Turn the pump by hand. Be sure it turns freely.

6. Reinstall pulley, fan clutch (if equipped), fan, fan belts, and reconnect all hoses (be sure belts and pulleys are not off-set). On vehicles equipped with a timing belt, the belt should be replaced at this time to prevent major internal engine damage due to broken belt.

7. Tighten fan belts to factory recommended tension. Tension can be checked with commercially available testers or by measuring fan belt deflection as specified in the factory service manual. Excessive belt tension can cause premature pump failure.

8. Fill radiator and coolant recovery bottle with a correct mixture of fresh low silicate coolant and distilled water, and check for leaks. Be sure to measure the amount of the coolant mixture that you have added to the system and compare it to your capacity specifications in your vehicle's owner's manual; this will make you aware of any air that is trapped in the system.

9. Purge system of air as required.

10. Install radiator cap and run the engine until normal operating temperature is reached, check for leaks and water circulation. Note: A small, temporary seepage of coolant from weep hole located on low side of the shaft housing may occur during initial run-in period. This should be stop after the seal has been allowed to lap in.

11. After operating temperature has been reached, shut off engine and allow cool.

12. Remove radiator cap (only after engine has cooled) and top off radiator and coolant recovery bottle with additional low silicate coolant and distilled water mixture.

## II. Instalación de la bomba de agua nueva:

1. Siempre limpie cuidadosamente todo el sistema de enfriamiento, la cavidad de motor y la superficie de las juntas. Apriete cualquier tuerca de la placa posterior si es necesario.

2. Coloque las nuevas juntas en la bomba usando sellador en ambos lados. Nota: En el caso de utilizar un sellador de juntas silicónico autocurable de un tubo, no aplique una cantidad excesiva. El sellador sobrante podría introducirse en la bomba y obstruir los conductos de refrigeración.

3. Si la bomba de agua dispone de empaques, procure no dañarlos. Limpie cuidadosamente las superficies de sellado de los empaques. Aplique un lubricante adecuado para hule a los empaques y sus superficies de sellado antes de intentar instalar la bomba o los componentes correspondientes de los empaques. Instale la bomba o los componentes aplicando una ligera presión y movimiento de torsión. La bomba o piezas correspondientes deben deslizarse hacia dentro con muy poco esfuerzo. No junte las piezas a la fuerza. Si no se juntan suavemente al primer intento, retírelas e inspeccione las superficies para ver si hay partículas de residuos. Repita el procedimiento hasta que las piezas se deslicen y junten fácilmente.

4. Instale la bomba nueva en el bloque de motor. No golpee el eje. Apriete los pernos de montaje gradual y uniformemente en orden escalonado según las especificaciones de apriete del fabricante del vehículo.

5. Haga girar la bomba a mano. Asegúrese que gira libremente.

6. Vuelva a instalar la polea, polea termica (si lo tiene), el ventilador, las bandas del ventilador y después conecte todas las mangueras (verifique que las bandas y las poleas no estén descentradas). En los vehículos que disponen de banda de regulación, es conveniente cambiarla en este momento para impedir que el motor sufra daños internos considerables debido a la rotura de una banda.

7. Apriete las bandas del ventilador según la tensión recomendada por la fábrica. Se puede verificar la tensión con disponibles en el mercado, o midiendo la deflexión de la banda de ventilador según lo especificado en el manual de servicio publicado por la fábrica. La tensión excesiva de la banda puede causar la falla prematura de la bomba.

8. Llene el radiador y la botella de recuperación de refrigerante con una mezcla correcta de agua destilada y refrigerante fresco de bajo contenido de silicates, y revise que no hayan fugas. Mida la cantidad de mezcla refrigerante que añadió al sistema y compárela con las especificaciones de capacidad que figuran en manual del propietario del vehículo. Esto le permitirá saber si hay aire retenido en el sistema

9. Purgue el aire del sistema según se requiera.

10. Instale la tapa del radiador y haga funcionar el motor hasta alcanzar la temperatura normal de funcionamiento, revise la circulación del agua y que hayan fugas. Nota: Durante el periodo de rodaje inicial puede ocurrir una pequeña pérdida temporal de refrigerante por el "agujero de drenaje", ubicado en la cara inferior de la carcasa del eje. Esta deberá cesar después de que el sello se dilate.

11. Una vez alcanzada la temperatura de funcionamiento, apague el motor y deje que se enfríe.

12. Quite la tapa del radiador (sólo después de que el motor se haya enfriado) y llene el radiador y la botella de recuperación de refrigerante con la mezcla restante de agua destilada y refrigerante de bajo contenido de silicates.

## Common Water Pump Failures Signs

If your old water pump looks like any one of the pictures below, You **MUST** flush your cooling system before replacing the coolant and the water pump.

- **Do not use tap water in coolant mixture, it will drastically shorten the life of the new water pump.**



Problem: Chemical Etching  
Reason: Contaminated Coolant, PH is too acidic.



Problem: Rust Corrosion  
Reason: Incorrect mixture, too much water



Problem: Deposit Buildup  
Reason: Contaminated coolant, Recycled coolant



Problem: Cavitations  
Reason: Air within the coolant system



Problem: Calcium Buildup  
Reason: Coolant mixture contains Tap water

### DO:

- Power flush entire cooling system before water pump installation
- Mix coolant with Distilled water only or 50/50 pre-mixed coolant.
- Check Coolant for proper PH
- Bleed cooling system for air
- Check radiator cap, thermostat, fan clutch or fan blades for failures

### DON'T

- Re-use old coolant
- Use tap water in coolant mixture
- Re-use worn out thermostat, radiator cap, fan blades or fan clutch

**Discontinued**



MAKE	JEEP
OAW	AM1030
Airtex	AW3403
GMB	110-1030
Engine Code	
OEM#	J8134320
	J8133033
Application Notes	84-86 Cherokee 2.5L
	80-86 J Pickup 4.2L

**Discontinued**



MAKE	JEEP
OAW	AM1040
Airtex	AW3401
GMB	110-1040
Engine Code	
OEM#	J3227694
	8125131
Application Notes	74-83 Cherokee 5.9L
	84-91 G Wagoneer 5.9L

**Discontinued**



MAKE	JEEP
OAW	AM1060
Airtex	AW3413
GMB	110-1060
Engine Code	
OEM#	83502938
	JR775047
Application Notes	87-96 Cherokee 2.5L
	Reverse Rotation

**Discontinued**



MAKE	JEEP
OAW	AM1070
Airtex	AW3414
GMB	110-1070
Engine Code	
OEM#	83502957
	4797143
Application Notes	87-90 Wrangler 4.2L
	87-90 Cherokee 2.5L



MAKE	JEEP
OAW	AM1080
Airtex	AW3412
GMB	110-1080
Engine Code	
OEM#	4626215AD
	83503407
Application Notes	87-02 Cherokee 4.0L





MAKE	JEEP
OAW	AM1090
Airtex	AW7136
GMB	110-1090
Engine Code	
OEM#	4626054AD/E/F
Application Notes	91-00 Cherokee 2.5L 93-98 G Cherokee 4.0L

## Discontinued



MAKE	Mercedes Benz
OAW	BE2061
Airtex	AW9175
GMB	147-2061
Engine Code	102.985
OEM#	102-200-5001 R102-201-1701
Application Notes	85-93 190 series 2.3L



MAKE	Mercedes Benz
OAW	BE2220
Airtex	AW9380
GMB	147-2220
Engine Code	
OEM#	112-200-1401 112-200-0401
Application Notes	02-07 ML500 3 hose connection








MAKE	Mercedes Benz
OAW	BE2250
Airtex	AW9379
GMB	147-2250
Engine Code	
OEM#	112-200-1501 112-200-0501
Application Notes	98-05 E320 3.2L 2 hose connection






## new




MAKE	Mercedes Benz
OAW	BE2310
Airtex	AW6142
GMB	147-2310
Engine Code	
OEM#	272-200-0901
Application Notes	06-07 C280 3.0L 08-11 C300 3.0L



















	MAKE	BMW
	OAW	BM2080
	Airtex	AW9275
	GMB	115-2080
	Engine Code	
	OEM#	1151-1721-872
		1151-1734-595
	MAKE	BMW
	OAW	BM2090
	Airtex	AW9261
	GMB	115-2090
	Engine Code	
	OEM#	1151-7503-884
		1151-7504-040
<div data-bbox="168 898 282 940" data-label="Text">new</div> 	MAKE	BMW
	OAW	BM2240
	Airtex	AW9474
	GMB	115-2240
	Engine Code	
	OEM#	1151-0686-011
		1151-1271-417
<div data-bbox="168 1260 282 1302" data-label="Text">new</div> 	MAKE	BMW
	OAW	BM2250
	Airtex	AW6001
	GMB	115-2250
	Engine Code	
	OEM#	1151-7520-123
	MAKE	Chrysler/ Dodge
	OAW	CR1050
	Airtex	AW7110
	GMB	120-1050
	Engine Code	
	OEM#	4293898
		5203432
	Application Notes	84-88 Caravan 2.2L/2.5L
		82-88 Lebaron 2.2L






	MAKE	Chrysler/ Dodge
	OAW	CR1060
	Airtex	AW7100
	GMB	120-1060
	Engine Code	
	OEM#	4131243 2196910
	Application Notes	74-83 Voyager 3.7L 74-80 Ramcharger 3.7L
	MAKE	Chrysler/ Dodge
	OAW	CR1070
	Airtex	AW1053/AW7103
	GMB	120-1070
	Engine Code	
	OEM#	3837641 3780109
	Application Notes	72-89 Gran Fury 5.2L 87-91 Dakota 3.9L
<b>Discontinued</b> 	MAKE	Chrysler/ Dodge
	OAW	CR1260
	Airtex	AW7122
	GMB	120-1260
	Engine Code	
	OEM#	4387457 4315736
	Application Notes	89 Caravan 2.5L 89 TC Maserati 2.2L
	MAKE	Chrysler/ Dodge
	OAW	CR1270
	Airtex	AW7126
	GMB	120-1270
	Engine Code	
	OEM#	4448878 4654390
	Application Notes	90-00 Caravan 3.3L/3.8L 93-00 G Voyager 3.3L/3.8L
	MAKE	Chrysler/ Dodge
	OAW	CR1280
	Airtex	AW7127
	GMB	120-1280
	Engine Code	
	OEM#	4621172 4483453
	Application Notes	90-95 Caravan 2.5L 90-93 Daytona 2.5L

	MAKE	Chrysler/ Dodge
	OAW	CR1290
	Airtex	AW7140
	GMB	120-1290
	Engine Code	
	OEM#	5281175 5010897AA
	Application Notes	93-97 Intrepid 3.3L 93-96 Concorde 3.3L
	MAKE	Chrysler/ Dodge
	OAW	CR1300
	Airtex	AW7150
	GMB	120-1300
	Engine Code	
	OEM#	4667660 4667660AB
	Application Notes	95-00 Stratus 2.0L L4 95-02 Neon 2.0L L4
	MAKE	Chrysler/ Dodge
	OAW	CR1310
	Airtex	AW7141
	GMB	120-1310
	Engine Code	
	OEM#	4556541 4556543
	Application Notes	93-94 Intrepid 3.5L 93-94 Concorde 3.5L
	MAKE	Chrysler/ Dodge
	OAW	CR1320
	Airtex	AW7151
	GMB	120-1320
	Engine Code	
	OEM#	4663296 4663333
	Application Notes	95-97 Intrepid 3.5L
	MAKE	Chrysler/ Dodge
	OAW	CR1330
	Airtex	AW7153
	GMB	120-1330
	Engine Code	
	OEM#	4621489 4621550
	Application Notes	95-96 Stratus 2.4L w/hydraulic Tensioner













	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR1340</td></tr> <tr><td>Airtex</td><td>AW7158</td></tr> <tr><td>GMB</td><td>120-1340</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>4663296AB</td></tr> <tr><td>Application Notes</td><td>1997 Intrepid 3.5L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR1340	Airtex	AW7158	GMB	120-1340	Engine Code		OEM#	4663296AB	Application Notes	1997 Intrepid 3.5L				
MAKE	Chrysler/ Dodge																		
OAW	CR1340																		
Airtex	AW7158																		
GMB	120-1340																		
Engine Code																			
OEM#	4663296AB																		
Application Notes	1997 Intrepid 3.5L																		
	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR1350</td></tr> <tr><td>Airtex</td><td>AW7162</td></tr> <tr><td>GMB</td><td>120-1350</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>4792195AB</td></tr> <tr><td></td><td>4648952AB/AD</td></tr> <tr><td>Application Notes</td><td>99-04 300M 3.5L</td></tr> <tr><td></td><td>98-04 Intrepid 3.2L/3.5L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR1350	Airtex	AW7162	GMB	120-1350	Engine Code		OEM#	4792195AB		4648952AB/AD	Application Notes	99-04 300M 3.5L		98-04 Intrepid 3.2L/3.5L
MAKE	Chrysler/ Dodge																		
OAW	CR1350																		
Airtex	AW7162																		
GMB	120-1350																		
Engine Code																			
OEM#	4792195AB																		
	4648952AB/AD																		
Application Notes	99-04 300M 3.5L																		
	98-04 Intrepid 3.2L/3.5L																		
<p>new</p> 	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR2000</td></tr> <tr><td>Airtex</td><td>AW6217</td></tr> <tr><td>GMB</td><td>120-2000</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>04892425AA</td></tr> <tr><td>Application Notes</td><td>08-10 300 2.7L</td></tr> <tr><td></td><td>08-10 Charger 2.7L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR2000	Airtex	AW6217	GMB	120-2000	Engine Code		OEM#	04892425AA	Application Notes	08-10 300 2.7L		08-10 Charger 2.7L		
MAKE	Chrysler/ Dodge																		
OAW	CR2000																		
Airtex	AW6217																		
GMB	120-2000																		
Engine Code																			
OEM#	04892425AA																		
Application Notes	08-10 300 2.7L																		
	08-10 Charger 2.7L																		
<p>new</p> 	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR2010</td></tr> <tr><td>Airtex</td><td>AW6189</td></tr> <tr><td>GMB</td><td>120-2010</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>4666044AA/BA</td></tr> <tr><td>Application Notes</td><td>07-11 Wrangler 3.8L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR2010	Airtex	AW6189	GMB	120-2010	Engine Code		OEM#	4666044AA/BA	Application Notes	07-11 Wrangler 3.8L				
MAKE	Chrysler/ Dodge																		
OAW	CR2010																		
Airtex	AW6189																		
GMB	120-2010																		
Engine Code																			
OEM#	4666044AA/BA																		
Application Notes	07-11 Wrangler 3.8L																		
	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR3041</td></tr> <tr><td>Airtex</td><td>AW7160</td></tr> <tr><td>GMB</td><td>120-3041</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>53020280</td></tr> <tr><td></td><td>53021018</td></tr> <tr><td>Application Notes</td><td>94-03 PU Ram 3.5L/5.9L</td></tr> <tr><td></td><td>97-01 Ram 2500 3.9L/5.2L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR3041	Airtex	AW7160	GMB	120-3041	Engine Code		OEM#	53020280		53021018	Application Notes	94-03 PU Ram 3.5L/5.9L		97-01 Ram 2500 3.9L/5.2L
MAKE	Chrysler/ Dodge																		
OAW	CR3041																		
Airtex	AW7160																		
GMB	120-3041																		
Engine Code																			
OEM#	53020280																		
	53021018																		
Application Notes	94-03 PU Ram 3.5L/5.9L																		
	97-01 Ram 2500 3.9L/5.2L																		

	<b>MAKE</b>	<b>Chrysler/ Dodge</b>
	<b>OAW</b>	<b>CR3072</b>
	<b>Airtex</b>	AW7145/AW2097
	<b>GMB</b>	120-3072
	<b>Engine Code</b>	
	<b>OEM#</b>	4429404 5010964AA/AB
	<b>Application Notes</b>	94-01 PU Ram 5.9L Diesel 92-97 F700 5.9L Diesel
	<b>MAKE</b>	<b>Chrysler/ Dodge</b>
	<b>OAW</b>	<b>CR4190</b>
	<b>Airtex</b>	AW7161
	<b>GMB</b>	120-4190
	<b>Engine Code</b>	
	<b>OEM#</b>	4663732AB/AC/AD 4892225AA
	<b>Application Notes</b>	98-03 Intrepid 2.7L 01-06 Stratus 2.7L
	<b>MAKE</b>	<b>Chrysler/ Dodge</b>
	<b>OAW</b>	<b>CR4220</b>
	<b>Airtex</b>	AW7156
	<b>GMB</b>	120-4220
	<b>Engine Code</b>	
	<b>OEM#</b>	4694307AA/AB/AC/AE 4694309
	<b>Application Notes</b>	96-07 Caravan 2.4L 95-06 Stratus 2.4L
	<b>MAKE</b>	<b>Chrysler/ Dodge</b>
	<b>OAW</b>	<b>CR4230</b>
	<b>Airtex</b>	AW7165
	<b>GMB</b>	120-4230
	<b>Engine Code</b>	
	<b>OEM#</b>	4781157AA 4781157AC
	<b>Application Notes</b>	01-07 G Caravan 3.3L/3.8L 01-07 T&C Van 3.3L/3.8L
	<b>MAKE</b>	<b>Chrysler/ Dodge</b>
	<b>OAW</b>	<b>CR4340</b>
	<b>Airtex</b>	AW7164
	<b>GMB</b>	120-4340
	<b>Engine Code</b>	
	<b>OEM#</b>	5012366AA/AB/AC 53010378AC
	<b>Application Notes</b>	99-04 G Cherokee 4.0L 2000-06 Wrangler 4.0L

	MAKE	Chrysler/ Dodge
	OAW	<b>CR4350</b>
	Airtex	AW7163
	GMB	120-4350
	Engine Code	
	OEM#	53071187AA/AC
		53011380AG
	Application Notes	99-10 G Cherokee 4.7L
		2000-10 Dakota 3.7L/4.7L
	MAKE	Chrysler/ Dodge
	OAW	<b>CR4360</b>
	Airtex	AW7167
	GMB	120-4360
	Engine Code	
	OEM#	4884159AA
		4884161AA
	Application Notes	03-05 Neon 2.4L
		03-09 PT Cruiser 2.4L
	MAKE	Chrysler/ Dodge
	OAW	<b>CR4370</b>
	Airtex	AW7168
	GMB	120-4370
	Engine Code	
	OEM#	53021187AA/G/K/L
		53021380AJ/K/L/M
	Application Notes	03-08 PU Ram 1500 5.7L
		Hemi
<b>new</b> 	MAKE	Dodge
	OAW	<b>CR4400</b>
	Airtex	AW6155
	GMB	120-4400
	Engine Code	
	OEM#	5175580AA
		6462000701
	Application Notes	07-10 Sprinter 3.0L
		Turbo Diesel
<b>new</b> 	MAKE	Dodge
	OAW	<b>CR4410</b>
	Airtex	AW6222
	GMB	120-4410
	Engine Code	
	OEM#	68003402AA
		68003402AB
	Application Notes	07-12 RAM 6.7L Diesel



<p><b>new</b></p> 	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR4420</td></tr> <tr><td>Airtex</td><td>AW6231</td></tr> <tr><td>GMB</td><td>120-4420</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>4648952AE</td></tr> <tr><td>Application Notes</td><td>08-10 G Caravan 3.3L/3.8L 08-10 T&amp;C 3.3L/3.8L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR4420	Airtex	AW6231	GMB	120-4420	Engine Code		OEM#	4648952AE	Application Notes	08-10 G Caravan 3.3L/3.8L 08-10 T&C 3.3L/3.8L
MAKE	Chrysler/ Dodge														
OAW	CR4420														
Airtex	AW6231														
GMB	120-4420														
Engine Code															
OEM#	4648952AE														
Application Notes	08-10 G Caravan 3.3L/3.8L 08-10 T&C 3.3L/3.8L														
<p><b>new</b></p> 	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR4430</td></tr> <tr><td>Airtex</td><td>AW6341</td></tr> <tr><td>GMB</td><td>120-4430</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>53022192AE 53022192AF</td></tr> <tr><td>Application Notes</td><td>09-13 RAM 5.7L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR4430	Airtex	AW6341	GMB	120-4430	Engine Code		OEM#	53022192AE 53022192AF	Application Notes	09-13 RAM 5.7L
MAKE	Chrysler/ Dodge														
OAW	CR4430														
Airtex	AW6341														
GMB	120-4430														
Engine Code															
OEM#	53022192AE 53022192AF														
Application Notes	09-13 RAM 5.7L														
	<table> <tr><td>MAKE</td><td>Chrysler/ Dodge</td></tr> <tr><td>OAW</td><td>CR7150</td></tr> <tr><td>Airtex</td><td>AW7170</td></tr> <tr><td>GMB</td><td>120-7150</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>4792838AA 4792838AB</td></tr> <tr><td>Application Notes</td><td>05-10 G Cherokee 5.7L/6.1L 08-10 300C 5.7L/6.1L</td></tr> </table>	MAKE	Chrysler/ Dodge	OAW	CR7150	Airtex	AW7170	GMB	120-7150	Engine Code		OEM#	4792838AA 4792838AB	Application Notes	05-10 G Cherokee 5.7L/6.1L 08-10 300C 5.7L/6.1L
MAKE	Chrysler/ Dodge														
OAW	CR7150														
Airtex	AW7170														
GMB	120-7150														
Engine Code															
OEM#	4792838AA 4792838AB														
Application Notes	05-10 G Cherokee 5.7L/6.1L 08-10 300C 5.7L/6.1L														
	<table> <tr><td>MAKE</td><td>Chrysler</td></tr> <tr><td>OAW</td><td>CR7170</td></tr> <tr><td>Airtex</td><td>AW6010</td></tr> <tr><td>GMB</td><td>120-7170</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>4792968AA 4792968AD</td></tr> <tr><td>Application Notes</td><td>05-10 Chrysler 300 3.5L 08-10 G Caravan 4.0L</td></tr> </table>	MAKE	Chrysler	OAW	CR7170	Airtex	AW6010	GMB	120-7170	Engine Code		OEM#	4792968AA 4792968AD	Application Notes	05-10 Chrysler 300 3.5L 08-10 G Caravan 4.0L
MAKE	Chrysler														
OAW	CR7170														
Airtex	AW6010														
GMB	120-7170														
Engine Code															
OEM#	4792968AA 4792968AD														
Application Notes	05-10 Chrysler 300 3.5L 08-10 G Caravan 4.0L														
	<table> <tr><td>MAKE</td><td>Chrysler</td></tr> <tr><td>OAW</td><td>CR7180</td></tr> <tr><td>Airtex</td><td>AW6038</td></tr> <tr><td>GMB</td><td>120-7180</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>5047138AA/AB 05138057AA</td></tr> <tr><td>Application Notes</td><td>07-12 CALIBER 1.8L/2.0L/2.4L</td></tr> </table>	MAKE	Chrysler	OAW	CR7180	Airtex	AW6038	GMB	120-7180	Engine Code		OEM#	5047138AA/AB 05138057AA	Application Notes	07-12 CALIBER 1.8L/2.0L/2.4L
MAKE	Chrysler														
OAW	CR7180														
Airtex	AW6038														
GMB	120-7180														
Engine Code															
OEM#	5047138AA/AB 05138057AA														
Application Notes	07-12 CALIBER 1.8L/2.0L/2.4L														

	<b>MAKE</b> <b>OAW</b> <b>Airtex</b> <b>GMB</b> <b>Engine Code</b> <b>OEM#</b> <b>Application Notes</b>	<b>DODGE / MERCEDE</b> <b>CR7220</b> AW6007 120-7220  6472000101 05138057AA 04-06 Van Sprinter 2500 2.7L Diesel
<b>Discontinued</b> 	<b>MAKE</b> <b>OAW</b> <b>Airtex</b> <b>GMB</b> <b>Engine Code</b> <b>OEM#</b> <b>Application Notes</b>	<b>Ford</b> <b>F1030</b> AW964 125-1030  D1FZ-8501A D1FZ-8501B 71-74 Pinto 2.0L 71-74 Capri 2.0L
<b>Discontinued</b> 	<b>MAKE</b> <b>OAW</b> <b>Airtex</b> <b>GMB</b> <b>Engine Code</b> <b>OEM#</b> <b>Application Notes</b>	<b>Ford</b> <b>F1110</b> AW932 125-1110  D2SZ-8501A D1AZ-8501A 70-79 Cougar 5.8L/6.6L 71-78 LTD 5.8L/6.6L
<b>Discontinued</b> 	<b>MAKE</b> <b>OAW</b> <b>Airtex</b> <b>GMB</b> <b>Engine Code</b> <b>OEM#</b> <b>Application Notes</b>	<b>Ford</b> <b>F1210</b> AW4016 125-1210  E2DZ-8501A E2AE-8505CD 82-87 Cougar 3.8L 83-86 Mustang 3.8L
<b>Discontinued</b> 	<b>MAKE</b> <b>OAW</b> <b>Airtex</b> <b>GMB</b> <b>Engine Code</b> <b>OEM#</b> <b>Application Notes</b>	<b>Ford</b> <b>F1230</b> AW953 125-1230  D0OZ-8501A/B/C/F D0AZ-8501B/F 80-87 Bronco 5.0L/5.8L 70-79 Cougar 5.0L/5.8L

<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td>F1280</td></tr> <tr><td>Airtex</td><td>AW4002</td></tr> <tr><td>GMB</td><td>125-1280</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>D8BZ-8501A</td></tr> <tr><td></td><td>D5DE-8505AB</td></tr> <tr><td>Application Notes</td><td>80-82 Tbird 3.3L</td></tr> <tr><td></td><td>79-82 Mustang 3.3L</td></tr> </table>	MAKE	Ford	OAW	F1280	Airtex	AW4002	GMB	125-1280	Engine Code		OEM#	D8BZ-8501A		D5DE-8505AB	Application Notes	80-82 Tbird 3.3L		79-82 Mustang 3.3L
MAKE	Ford																		
OAW	F1280																		
Airtex	AW4002																		
GMB	125-1280																		
Engine Code																			
OEM#	D8BZ-8501A																		
	D5DE-8505AB																		
Application Notes	80-82 Tbird 3.3L																		
	79-82 Mustang 3.3L																		
<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td>F1310</td></tr> <tr><td>Airtex</td><td>AW4023</td></tr> <tr><td>GMB</td><td>125-1310</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>E3TZ-8501F</td></tr> <tr><td></td><td>83TF-8505AA</td></tr> <tr><td>Application Notes</td><td>83-85 Ranger 2.8L</td></tr> <tr><td></td><td>84-85 Bronco II 2.8L</td></tr> </table>	MAKE	Ford	OAW	F1310	Airtex	AW4023	GMB	125-1310	Engine Code		OEM#	E3TZ-8501F		83TF-8505AA	Application Notes	83-85 Ranger 2.8L		84-85 Bronco II 2.8L
MAKE	Ford																		
OAW	F1310																		
Airtex	AW4023																		
GMB	125-1310																		
Engine Code																			
OEM#	E3TZ-8501F																		
	83TF-8505AA																		
Application Notes	83-85 Ranger 2.8L																		
	84-85 Bronco II 2.8L																		
<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td>F1340</td></tr> <tr><td>Airtex</td><td>AW4020N</td></tr> <tr><td>GMB</td><td>125-1340</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>F0PZ-8501A</td></tr> <tr><td></td><td>E9PZ-8501A</td></tr> <tr><td>Application Notes</td><td>83-86 Bronco 4.9L</td></tr> <tr><td></td><td>83-86 PU F Series 4.9L</td></tr> </table>	MAKE	Ford	OAW	F1340	Airtex	AW4020N	GMB	125-1340	Engine Code		OEM#	F0PZ-8501A		E9PZ-8501A	Application Notes	83-86 Bronco 4.9L		83-86 PU F Series 4.9L
MAKE	Ford																		
OAW	F1340																		
Airtex	AW4020N																		
GMB	125-1340																		
Engine Code																			
OEM#	F0PZ-8501A																		
	E9PZ-8501A																		
Application Notes	83-86 Bronco 4.9L																		
	83-86 PU F Series 4.9L																		
<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td>F1350</td></tr> <tr><td>Airtex</td><td>AW1114</td></tr> <tr><td>GMB</td><td>125-1350</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>D0VZ-8501A</td></tr> <tr><td></td><td>D4VY-8501A</td></tr> <tr><td>Application Notes</td><td>70-76 Tbird 7.5L</td></tr> <tr><td></td><td>73-92 PU F Series 7.5L</td></tr> </table>	MAKE	Ford	OAW	F1350	Airtex	AW1114	GMB	125-1350	Engine Code		OEM#	D0VZ-8501A		D4VY-8501A	Application Notes	70-76 Tbird 7.5L		73-92 PU F Series 7.5L
MAKE	Ford																		
OAW	F1350																		
Airtex	AW1114																		
GMB	125-1350																		
Engine Code																			
OEM#	D0VZ-8501A																		
	D4VY-8501A																		
Application Notes	70-76 Tbird 7.5L																		
	73-92 PU F Series 7.5L																		
<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td>F1360</td></tr> <tr><td>Airtex</td><td>AW4022</td></tr> <tr><td>GMB</td><td>125-1360</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>E93Z-8501A/B</td></tr> <tr><td></td><td>E43Z-8501A</td></tr> <tr><td>Application Notes</td><td>84-91 Tempo 2.3L</td></tr> <tr><td></td><td>84-91 Topaz 2.3L</td></tr> </table>	MAKE	Ford	OAW	F1360	Airtex	AW4022	GMB	125-1360	Engine Code		OEM#	E93Z-8501A/B		E43Z-8501A	Application Notes	84-91 Tempo 2.3L		84-91 Topaz 2.3L
MAKE	Ford																		
OAW	F1360																		
Airtex	AW4022																		
GMB	125-1360																		
Engine Code																			
OEM#	E93Z-8501A/B																		
	E43Z-8501A																		
Application Notes	84-91 Tempo 2.3L																		
	84-91 Topaz 2.3L																		

## Discontinued



MAKE	Ford
OAW	F1370
Airtex	AW1075
GMB	125-1370
Engine Code	
OEM#	C5AZ-8501M/N C8AZ-8501A/B
Application Notes	65-68 Tbird 6.4L/7.0L 65-77 PU F Series 5.9L/6.4L

## Discontinued



MAKE	Ford
OAW	F1390
Airtex	AW4030N
GMB	125-1390
Engine Code	
OEM#	E4TZ-8501B/C E9PZ-8501D
Application Notes	74-82 PU F Series 4.9L 80-82 Bronco 4.9L

## Discontinued



MAKE	Ford
OAW	F1420
Airtex	AW1028
GMB	125-1420
Engine Code	
OEM#	D3UZ-8501A C9AZ-8501A/B/AB
Application Notes	68-77 Bronco 5.0L 67-69 Cougar 5.0L/5.8L




MAKE	Ford
OAW	F1440
Airtex	AW4014
GMB	125-1440
Engine Code	
OEM#	E1AZ-8501A E6AZ-8501B
Application Notes	81-88 Town Car 5.0L 80-89 G Marquis 5.0L/5.8L




MAKE	Ford
OAW	F1480
Airtex	AW4034
GMB	125-1480
Engine Code	
OEM#	F4PZ-8501A E6DZ-8501A
Application Notes	86-94 Taurus 3.0L exclude SHO



**Discontinued**



MAKE	Ford
OAW	F1500
Airtex	AW4040
GMB	125-1500
Engine Code	
OEM#	E7FZ-8501A
	E3FZ-8501B
Application Notes	81-90 Escort 1.6L/1.9L
	82-88 EXP 1.6L/1.9L



MAKE	Ford
OAW	F1510
Airtex	AW4041
GMB	125-1510
Engine Code	
OEM#	F33Z-8501A
	F23Z-8501B
Application Notes	86-89 Taurus 2.5L
	92-94 Tempo 2.3L



MAKE	Ford
OAW	F1530
Airtex	AW4039
GMB	125-1530
Engine Code	
OEM#	E59Z-8505B
	E69Z-8501A
Application Notes	86-94 Aerostar 3.0L
	91-96 Ranger 3.0L



MAKE	Ford
OAW	F1560
Airtex	AW4038/AW4035
GMB	125-1560
Engine Code	
OEM#	E4ZZ-8501A
	E5ZZ-8501A
Application Notes	86-93 Mustang 5.0L
	86-92 Mark VII 5.0L

**Discontinued**




MAKE	Ford
OAW	F1580
Airtex	AW4042
GMB	125-1580
Engine Code	
OEM#	E6TZ-8501A
	E7RY-8501A
Application Notes	86-90 Bronco II 2.9L
	86-92 Ranger 2.9L





MAKE	Ford
OAW	<b>F1600</b>
Airtex	AW4051
GMB	125-1600
Engine Code	
OEM#	E8DZ-8501A/B
	405112
Application Notes	88-93 Continental 3.8L
	88-93 Taurus 3.8L

**Discontinued**



MAKE	Ford
OAW	<b>F1610</b>
Airtex	AW4054
GMB	125-1610
Engine Code	
OEM#	E3BZ-8501A
	E6ZZ-8501A
Application Notes	83-93 Mustang 2.3L
	83-94 Ranger 2.3L



MAKE	Ford
OAW	<b>F1620</b>
Airtex	AW4048
GMB	125-1620
Engine Code	
OEM#	F0TZ-8501F
	E8TZ-8501A
Application Notes	87-92 Bronco 4.9L
	87-92 PU F Series 4.9L



MAKE	Ford
OAW	<b>F1630</b>
Airtex	AW4050
GMB	125-1630
Engine Code	
OEM#	E8SZ-8501A
	F1SZ-8501B
Application Notes	88-93 Tbird 3.8L
	88-93 Cougar 3.8L



MAKE	Ford
OAW	<b>F1670</b>
Airtex	AW4044
GMB	125-1670
Engine Code	
OEM#	F0TZ-8501E
	F3TZ-8501A/B/C/D
Application Notes	87-96 Bronco 5.0L/5.8L
	87-97 PU F Series 5.8L

## Discontinued



MAKE	Ford
OAW	F1700
Airtex	AW4052
GMB	125-1700
Engine Code	
OEM#	E0AZ-8501A
	F0AZ-8501A
Application Notes	80-84 Tbird 4.2L/5.0L
	80-84 Continental 5.0L



MAKE	Ford
OAW	F1720
Airtex	AW4069
GMB	125-1720
Engine Code	
OEM#	F4CZ-8501A
	F6PZ-8501AA
Application Notes	91-98 Escort 1.9L
	Round Tooth Hub



MAKE	Ford
OAW	F1750
Airtex	AW4066
GMB	125-1750
Engine Code	
OEM#	F4AZ-8501A
	F1AE-8505AD
Application Notes	91-97 Town Car 4.6L
	92-97 Crown Vic 4.6L



MAKE	Ford
OAW	F1770
Airtex	AW4060
GMB	125-1770
Engine Code	
OEM#	F0TZ8501D/G
	F7TZ-8501AB/AD
Application Notes	90-97 Aerostar 4.0L
	91-2000 Explorer 4.0L



MAKE	Ford
OAW	F1790
Airtex	AW4089
GMB	125-1790
Engine Code	
OEM#	F4DZ-8501A
Application Notes	94-95 Taurus 3.8L
	95 Windstar 3.8L

## Discontinued




MAKE	Ford
OAW	F1800
Airtex	AW4090
GMB	125-1800
Engine Code	
OEM#	F4SZ-8501A
Application Notes	94-95 Tbird 3.8L 94-95 Mustang 3.8L




MAKE	Ford
OAW	F1810
Airtex	AW4099
GMB	125-1810
Engine Code	
OEM#	F5TZ-8501A F3TZ-8501E
Application Notes	93-97 PU F Series 4.9L




MAKE	Ford
OAW	F1820
Airtex	AW4094
GMB	125-1820
Engine Code	
OEM#	F5DZ-8501A F8DZ-8501AA
Application Notes	95-07 Taurus 3.0L 95-2000 Windstar 3.0L



MAKE	Ford
OAW	F1830
Airtex	AW4113
GMB	125-1830
Engine Code	
OEM#	F6LZ-8501AA F3LY-8501A/B
Application Notes	98-01 Town Car 4.6L 98-02 Crown Vic 4.6L



MAKE	Ford
OAW	F1840
Airtex	AW4093
GMB	125-1840
Engine Code	
OEM#	F57Z-8501BA/BB ZZM-315-010
Application Notes	95-01 Ranger 2.3L/2.5L 98-01 B2500 2.5L

	MAKE	Ford
	OAW	F1850
	Airtex	AW4095
	GMB	125-1850
	Engine Code	
	OEM#	XL5Z-8501AA/AC/AD XL5E-8501AC
	Application Notes	95-08 Ranger 3.0L 95-08 B3000 3.0L
	MAKE	Ford
	OAW	F1900
	Airtex	AW4088
	GMB	125-1900
	Engine Code	
	OEM#	F5RZ-8501B 938M-8501AJ
	Application Notes	95-97 Contour 2.0L 95-97 Mystique 2.0L
	MAKE	Ford
	OAW	F1910
	Airtex	AW4091
	GMB	125-1910
	Engine Code	
	OEM#	XS2Z-8501BC F5RZ-8501A
	Application Notes	95-00 Contour 2.5L 01-03 Taurus 3.0L
	MAKE	Ford
	OAW	F1920
	Airtex	AW4087
	GMB	125-1920
	Engine Code	
	OEM#	F4ZZ-8501A/B
	Application Notes	94-95 Mustang 5.0L
	MAKE	Ford
	OAW	F1930
	Airtex	AW4057
	GMB	125-1930
	Engine Code	
	OEM#	F1SZ8501A F1SE-8505BC
	Application Notes	91-93 Tbird 5.0L 91-93 Cougar 5.0L

Discontinued





MAKE	Ford
OAW	F1940
Airtex	AW4103
GMB	125-1940
Engine Code	
OEM#	F8ZZ-8501AA
	3R3Z-8501A/BB
Application Notes	96-04 Mustang 3.8L
	96-97 Tbird 3.8L



MAKE	Ford
OAW	F1950
Airtex	AW4098
GMB	125-1950
Engine Code	
OEM#	F7DZ-8501A
	F5DZ-8501CL
Application Notes	96-00 Taurus 3.0L
	DOHC





















MAKE	Ford
OAW	F1960
Airtex	AW4101
GMB	125-1960
Engine Code	
OEM#	F87Z-8501CA
	F67E-8501BA
Application Notes	96-02 Explorer 5.0L
	97-01 Mountaineer 5.0L



MAKE	Ford
OAW	F1970
Airtex	AW4102
GMB	125-1970
Engine Code	
OEM#	F68Z-8501A
	5F2Z-8501A/BA
Application Notes	96-03 Windstar 3.8L
	04-07 Freestar 3.9/4.2L



MAKE	Ford
OAW	F1980
Airtex	AW4122
GMB	125-1980
Engine Code	
OEM#	F65Z-8501BA
	YC2Z-8501AA/BA
Application Notes	98-01 Navigator 5.4L
	97-02 Expedition 4.6L/5.4L

	MAKE	Ford
	OAW	F1990
	Airtex	AW4107
	GMB	125-1990
	Engine Code	
	OEM#	F7CA-8501AB F7CZ-8501AB
	Application Notes	97-02 Escort 2.0L SOHC
	MAKE	Ford
	OAW	F2100
	Airtex	AW4115
	GMB	125-2100
	Engine Code	
	OEM#	F8RZ-8501EN 6U2J-8501ZA
	Application Notes	98-03 Escort ZX2 2.0L 2000-04 Focus 2.0L
	MAKE	Ford
	OAW	F2101
	Airtex	AW4105
	GMB	125-2101
	Engine Code	
	OEM#	F85Z-8501AA 5L3E-8501BB
	Application Notes	97-08 PU F150 4.2L
	MAKE	Ford
	OAW	F2102
	Airtex	AW4108
	GMB	125-2102
	Engine Code	
	OEM#	F77Z-8501AD 1F8215010
	Application Notes	97-10 Explorer 4.0L 05-10 Mustang 4.0L
	MAKE	Ford
	OAW	F2450
	Airtex	AW6058
	GMB	125-2450
	Engine Code	
	OEM#	4C3Z-8501AC C2OZ-8501A
	Application Notes	04-07 PU F Series 6.0L Diesel

**new**



MAKE	Ford
OAW	F3000
Airtex	AW6157
GMB	125-3000
Engine Code	
OEM#	D5ZZ8501A
	8C3Z-8501B
Application Notes	08-10 PU F Series 6.4L Super Duty

**new**



MAKE	Ford
OAW	F3010
Airtex	AW6144
GMB	120-3010
Engine Code	
OEM#	7L3Z-8501A
Application Notes	06-13 PU F Series 5.4L/4.6L Super Duty

**new**




MAKE	Ford
OAW	F3240
Airtex	AW6250
GMB	125-3240
Engine Code	
OEM#	9L8Z-8501A/C
Application Notes	09-12 ESCAPE 3.0L 10-12 FUSION 3.0L



MAKE	Ford
OAW	F4130
Airtex	AW4133
GMB	125-4130
Engine Code	
OEM#	3C3Z-8501ABRM
	4C3Z-8501ABRM
Application Notes	03-04 Excursion 6.0 03-04 PU F Series 6.0L

**Discontinued**



MAKE	Ford
OAW	F5018
Airtex	AW4018
GMB	125-5018
Engine Code	
OEM#	E9TZ-8501B
	446430C/C2/C4
Application Notes	83-94 PU F Series 6.9L/7.3L Diesel

**Discontinued**



MAKE	Ford
OAW	F5730
Airtex	AW4097
GMB	125-5730
Engine Code	
OEM#	YF3Z-8501AB
	F50E-8505AA
Application Notes	95-02 Continental 4.6L



MAKE	Ford
OAW	F5920
Airtex	AW4109
GMB	125-5920
Engine Code	
OEM#	F81Z-8501DA
	YC3Z-8501AA/AB
Application Notes	99-09 PU F Series 6.8L
	2000-05 Excursion 6.8L



MAKE	Ford
OAW	F5930
Airtex	AW4114
GMB	125-5930
Engine Code	
OEM#	F7TZ-8501CRM
	F6TZ-8501AA
Application Notes	96-03 PU F Series 7.3L
	Diesel Turbo

**Discontinued**













MAKE	Ford
OAW	F5940
Airtex	AW4118
GMB	125-5940
Engine Code	
OEM#	XW4Z-8501BA/CD/CE
	XR813290
Application Notes	2000-02 LS 3.0L
	2000-01 S-type 3.0L



MAKE	Ford
OAW	F5950
Airtex	AW4119
GMB	125-5950
Engine Code	
OEM#	YR3Z-8501AB
	XR3Z-8501AA
Application Notes	99-02 Crown Vic 4.6L
	Hub Height 3 7/16"



	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td><b>F5970</b></td></tr> <tr><td>Airtex</td><td>AW4128</td></tr> <tr><td>GMB</td><td>125-5970</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>YW7Z-8501BB 5W7Z-8501AA</td></tr> <tr><td>Application Notes</td><td>01-11 Crown Vic 4.6L Hub Height 2.578"</td></tr> </table>	MAKE	Ford	OAW	<b>F5970</b>	Airtex	AW4128	GMB	125-5970	Engine Code		OEM#	YW7Z-8501BB 5W7Z-8501AA	Application Notes	01-11 Crown Vic 4.6L Hub Height 2.578"
MAKE	Ford														
OAW	<b>F5970</b>														
Airtex	AW4128														
GMB	125-5970														
Engine Code															
OEM#	YW7Z-8501BB 5W7Z-8501AA														
Application Notes	01-11 Crown Vic 4.6L Hub Height 2.578"														
	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td><b>F5980</b></td></tr> <tr><td>Airtex</td><td>AW4123</td></tr> <tr><td>GMB</td><td>125-5980</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>YS4Z-8501AA 5L2Z-8501A</td></tr> <tr><td>Application Notes</td><td>2000-04 Focus 2.0L SOHC</td></tr> </table>	MAKE	Ford	OAW	<b>F5980</b>	Airtex	AW4123	GMB	125-5980	Engine Code		OEM#	YS4Z-8501AA 5L2Z-8501A	Application Notes	2000-04 Focus 2.0L SOHC
MAKE	Ford														
OAW	<b>F5980</b>														
Airtex	AW4123														
GMB	125-5980														
Engine Code															
OEM#	YS4Z-8501AA 5L2Z-8501A														
Application Notes	2000-04 Focus 2.0L SOHC														
	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td><b>F5990</b></td></tr> <tr><td>Airtex</td><td>AW4127=AW6144</td></tr> <tr><td>GMB</td><td>125-5990</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>1L2Z-8501BB 4S4Z-8501AA</td></tr> <tr><td>Application Notes</td><td>02-10 Explorer 4.6L 02-10 Mountaineer 4.6L</td></tr> </table>	MAKE	Ford	OAW	<b>F5990</b>	Airtex	AW4127=AW6144	GMB	125-5990	Engine Code		OEM#	1L2Z-8501BB 4S4Z-8501AA	Application Notes	02-10 Explorer 4.6L 02-10 Mountaineer 4.6L
MAKE	Ford														
OAW	<b>F5990</b>														
Airtex	AW4127=AW6144														
GMB	125-5990														
Engine Code															
OEM#	1L2Z-8501BB 4S4Z-8501AA														
Application Notes	02-10 Explorer 4.6L 02-10 Mountaineer 4.6L														
	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td><b>F6000</b></td></tr> <tr><td>Airtex</td><td>AW4126</td></tr> <tr><td>GMB</td><td>125-6000</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>YS4Z-8501AK 4S4Z-8501AA</td></tr> <tr><td>Application Notes</td><td>03-12 Focus 2.0L/2.3L 05-13 Escape 2.3L/2.5L</td></tr> </table>	MAKE	Ford	OAW	<b>F6000</b>	Airtex	AW4126	GMB	125-6000	Engine Code		OEM#	YS4Z-8501AK 4S4Z-8501AA	Application Notes	03-12 Focus 2.0L/2.3L 05-13 Escape 2.3L/2.5L
MAKE	Ford														
OAW	<b>F6000</b>														
Airtex	AW4126														
GMB	125-6000														
Engine Code															
OEM#	YS4Z-8501AK 4S4Z-8501AA														
Application Notes	03-12 Focus 2.0L/2.3L 05-13 Escape 2.3L/2.5L														
	<table> <tr><td>MAKE</td><td>Ford</td></tr> <tr><td>OAW</td><td><b>F6030</b></td></tr> <tr><td>Airtex</td><td>AW4124</td></tr> <tr><td>GMB</td><td>125-6030</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>1W9A-8501AA 1W9Z-8501AA/BA</td></tr> <tr><td>Application Notes</td><td>2000-06 LS 3.9L 2000-08 S-type 4.0L/4.2L</td></tr> </table>	MAKE	Ford	OAW	<b>F6030</b>	Airtex	AW4124	GMB	125-6030	Engine Code		OEM#	1W9A-8501AA 1W9Z-8501AA/BA	Application Notes	2000-06 LS 3.9L 2000-08 S-type 4.0L/4.2L
MAKE	Ford														
OAW	<b>F6030</b>														
Airtex	AW4124														
GMB	125-6030														
Engine Code															
OEM#	1W9A-8501AA 1W9Z-8501AA/BA														
Application Notes	2000-06 LS 3.9L 2000-08 S-type 4.0L/4.2L														

		MAKE	Ford
		OAW	F6040
		Airtex	AW4129
		GMB	125-6040
		Engine Code	
		OEM#	2R8E-8505AB 2R8Z-8501AE
		Application Notes	03-05 LS 3.0L 2000-08 Jaguar S-type 3.0L
		MAKE	Ford
		OAW	F6050
		Airtex	AW4130
		GMB	125-6050
		Engine Code	
		OEM#	YC2E-8501AA/BA 3L3Z-8501CA
		Application Notes	03-09 Expedition 4.6L/5.4L 03-10 PU F Series 4.6L/5.4L
		MAKE	Ford
		OAW	F6060
		Airtex	AW4132
		GMB	125-6060
		Engine Code	
		OEM#	2S7Z-8501BG 5L8E-8501AA/AE
		Application Notes	03-06 MPV 3.0L 03-06 Escape 3.0L
		MAKE	Ford
		OAW	F723A
		Airtex	AW723
		GMB	N/A
		Engine Code	
		OEM#	C4AZ8501A/B C1AE8501B/C
		Application Notes	61-64 Tbird 6.4L 61-64 CrownVic 5.8/7.0L
		MAKE	Ford
		OAW	F9050
		Airtex	AW4144
		GMB	125-9050
		Engine Code	
		OEM#	5F9Z-8501BB C4AZ-8501B
		Application Notes	05-07 Five Hundred 3.0L 05-07 Freestyle 3.0L

Discontinued

**new**



MAKE	Ford
OAW	F9060
Airtex	AW6023
GMB	125-9060
Engine Code	
OEM#	7T4Z-8501B/C/D CY0215010A/B/C
Application Notes	10-12 Fusion 3.5L 07-12 CX-9 3.7L



MAKE	Ford
OAW	F9901
Brummer	P546
GMB	N/A
Engine Code	
OEM#	M2S6G8591AA
Application Notes	(MX) FIESTA 1.6L 02-05

**Discontinued**




MAKE	GM
OAW	G1010
Airtex	AW895
GMB	130-1010
Engine Code	
OEM#	327261 357261
Application Notes	65-74 PU C Series 3.8L/4.1L 68-74 El Camino 3.8L/4.1L

**Discontinued**



MAKE	GM
OAW	G1040
Airtex	AW5001
GMB	130-1040
Engine Code	
OEM#	10054510 10120945
Application Notes	82-86 Cutlass Ciera 2.8L 85-88 Fiero 2.8L






**Discontinued**







MAKE	GM
OAW	G1050
Airtex	AW5000
GMB	130-1050
Engine Code	
OEM#	12507232 10013800
Application Notes	85-91 Grand Am 2.5L 80-91 Skylark 2.5L



		MAKE	GM
		OAW	G1051
		Airtex	AW5000P
		GMB	130-1051
		Engine Code	
		OEM#	10004073
			251314
		Application Notes	82-86 Cutlass Ciera 2.8L
			82-86 Century 2.5L
<b>Discontinued</b> 		MAKE	GM
		OAW	G1060
		Airtex	AW5007
		GMB	130-1060
		Engine Code	
		OEM#	10065240
			14089018
		Application Notes	82-86 Cavalier 1.8L/2.0L
			85-86 Sunbird 1.8L/2.0L
<b>Discontinued</b> 		MAKE	GM
		OAW	G1070
		Airtex	AW1018
		GMB	130-1070
		Engine Code	
		OEM#	1242913
			1247079
		Application Notes	73-81 Century 3.8L/5.7L
			80-84 Caprice 3.8L
<b>Discontinued</b> 		MAKE	GM
		OAW	G1110
		Airtex	AW5017
		GMB	130-1110
		Engine Code	
		OEM#	12517379
			52273124
		Application Notes	85-94 Sunbird 1.8L/2.0L
			82-86 Skyhawk 1.8L
<b>Discontinued</b> 		MAKE	GM
		OAW	G1120
		Airtex	AW1107
		GMB	130-1120
		Engine Code	
		OEM#	361054
			10120938
		Application Notes	75-84 Camaro 2.5L/4.1L
			75-84 Firebird 2.5L/4.1L

	MAKE	GM
	OAW	G1170
	Airtex	AW5006
	GMB	130-1170
	Engine Code	
	OEM#	10089659
		14105921
	Application Notes	84-86 Cherokee 2.8L
		82-84 Firebird 2.8L
	MAKE	GM
	OAW	G1250
	Airtex	AW1121
	GMB	130-1250
	Engine Code	
	OEM#	231886
		372334
	Application Notes	72-96 Small Block Chevy
		262/267/305/307/350
<b>Discontinued</b> 	MAKE	GM
	OAW	G1260
	Airtex	AW1120
	GMB	130-1260
	Engine Code	
	OEM#	231073
		5562834
	Application Notes	71-90 GM
		260/307/350/455 V8
<b>Discontinued</b> 	MAKE	GM
	OAW	G1270
	Airtex	AW1109
	GMB	130-1270
	Engine Code	
	OEM#	372334
		12522016
	Application Notes	69-76 SBC
		305/307/327/350/400
<b>Discontinued</b> 	MAKE	GM
	OAW	G1320
	Airtex	AW1002
	GMB	130-1320
	Engine Code	
	OEM#	3953620
		12529308
	Application Notes	Big Block Chevy Long
		69-97 396/402/454

<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>GM</td></tr> <tr><td>OAW</td><td>G1330</td></tr> <tr><td>Airtex</td><td>AW5008</td></tr> <tr><td>GMB</td><td>130-1330</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>3998206</td></tr> <tr><td></td><td>23500133</td></tr> <tr><td>Application Notes</td><td>82-93 6.2L Diesel</td></tr> <tr><td></td><td>GM Trucks</td></tr> </table>	MAKE	GM	OAW	G1330	Airtex	AW5008	GMB	130-1330	Engine Code		OEM#	3998206		23500133	Application Notes	82-93 6.2L Diesel		GM Trucks
MAKE	GM																		
OAW	G1330																		
Airtex	AW5008																		
GMB	130-1330																		
Engine Code																			
OEM#	3998206																		
	23500133																		
Application Notes	82-93 6.2L Diesel																		
	GM Trucks																		
<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>GM</td></tr> <tr><td>OAW</td><td>G1350</td></tr> <tr><td>Airtex</td><td>AW898</td></tr> <tr><td>GMB</td><td>130-1350</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>3929233</td></tr> <tr><td></td><td>3937996</td></tr> <tr><td>Application Notes</td><td>62-72 SBC Short</td></tr> <tr><td></td><td>283/302/307/327/350</td></tr> </table>	MAKE	GM	OAW	G1350	Airtex	AW898	GMB	130-1350	Engine Code		OEM#	3929233		3937996	Application Notes	62-72 SBC Short		283/302/307/327/350
MAKE	GM																		
OAW	G1350																		
Airtex	AW898																		
GMB	130-1350																		
Engine Code																			
OEM#	3929233																		
	3937996																		
Application Notes	62-72 SBC Short																		
	283/302/307/327/350																		
<p><b>Discontinued</b></p> 	<table> <tr><td>MAKE</td><td>GM</td></tr> <tr><td>OAW</td><td>G1450</td></tr> <tr><td>Airtex</td><td>AW5028</td></tr> <tr><td>GMB</td><td>130-1450</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>12334884</td></tr> <tr><td></td><td>25525147</td></tr> <tr><td>Application Notes</td><td>82-85 Century 3.0L/3.8L</td></tr> <tr><td></td><td>84-85 C Ciera 3.0L/ 3.8L</td></tr> </table>	MAKE	GM	OAW	G1450	Airtex	AW5028	GMB	130-1450	Engine Code		OEM#	12334884		25525147	Application Notes	82-85 Century 3.0L/3.8L		84-85 C Ciera 3.0L/ 3.8L
MAKE	GM																		
OAW	G1450																		
Airtex	AW5028																		
GMB	130-1450																		
Engine Code																			
OEM#	12334884																		
	25525147																		
Application Notes	82-85 Century 3.0L/3.8L																		
	84-85 C Ciera 3.0L/ 3.8L																		
	<table> <tr><td>MAKE</td><td>GM</td></tr> <tr><td>OAW</td><td>G1470</td></tr> <tr><td>Airtex</td><td>AW5032</td></tr> <tr><td>GMB</td><td>130-1470</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>12363169</td></tr> <tr><td></td><td>12462265</td></tr> <tr><td>Application Notes</td><td>95-02 Sunfire 2.2L</td></tr> <tr><td></td><td>87-02 Cavalier 2.0L</td></tr> </table>	MAKE	GM	OAW	G1470	Airtex	AW5032	GMB	130-1470	Engine Code		OEM#	12363169		12462265	Application Notes	95-02 Sunfire 2.2L		87-02 Cavalier 2.0L
MAKE	GM																		
OAW	G1470																		
Airtex	AW5032																		
GMB	130-1470																		
Engine Code																			
OEM#	12363169																		
	12462265																		
Application Notes	95-02 Sunfire 2.2L																		
	87-02 Cavalier 2.0L																		
	<table> <tr><td>MAKE</td><td>GM</td></tr> <tr><td>OAW</td><td>G1480</td></tr> <tr><td>Airtex</td><td>AW5033</td></tr> <tr><td>GMB</td><td>130-1480</td></tr> <tr><td>Engine Code</td><td></td></tr> <tr><td>OEM#</td><td>10048949</td></tr> <tr><td></td><td>10174858</td></tr> <tr><td>Application Notes</td><td>88-04 G Prix 2.8L/3.1L</td></tr> <tr><td></td><td>88-96 Regal 2.8L/3.1L</td></tr> </table>	MAKE	GM	OAW	G1480	Airtex	AW5033	GMB	130-1480	Engine Code		OEM#	10048949		10174858	Application Notes	88-04 G Prix 2.8L/3.1L		88-96 Regal 2.8L/3.1L
MAKE	GM																		
OAW	G1480																		
Airtex	AW5033																		
GMB	130-1480																		
Engine Code																			
OEM#	10048949																		
	10174858																		
Application Notes	88-04 G Prix 2.8L/3.1L																		
	88-96 Regal 2.8L/3.1L																		

## Discontinued



MAKE	GM
OAW	G1490
Airtex	AW5041
GMB	130-1490
Engine Code	
OEM#	10039415
	10039422
Application Notes	90-92 Lumina 2.5L
	87-91 6000 2.5L



MAKE	GM
OAW	G1540
Airtex	AW5040
GMB	130-1540
Engine Code	
OEM#	10181235
	10181237
Application Notes	87-90 Astro Van 2.5L
	87-90 Safari Van 2.5L




MAKE	GM
OAW	G1590
Airtex	AW5050N
GMB	130-1590
Engine Code	
OEM#	12338842
	12336298
Application Notes	85-93 GrandAm 3.0/3.3L
	86-95 Lesabre 3.8L






MAKE	GM
OAW	G1600
Airtex	AW5037
GMB	130-160
Engine Code	
OEM#	10132880
	10120944
Application Notes	87-92 Firebird 2.8L/3.1L:
	87-91 Camaro 2.8L/3.1L

## Discontinued











MAKE	GM
OAW	G1610
Airtex	AW5036
GMB	130-1610
Engine Code	
OEM#	12508606
	90220568
Application Notes	87-89 Grand Am 2.0L
	87-89 Sunbird 2.0L



	MAKE	GM
	OAW	G1620
	Airtex	AW5049
	GMB	130-1620
	Engine Code	Z,K
	OEM#	12522031
		10077059
	Application Notes	88-91 K Series 5.7L
		88-95 S10 4.3L
	MAKE	GM
	OAW	G1660
	Airtex	AW5043
	GMB	130-1660
	Engine Code	3,D
	OEM#	24571389
		24570464
	Application Notes	92-95 Achieva 2.3L
		88-95 Grand Am 2.3L
<p>Discontinued</p> 	MAKE	GM
	OAW	G1690
	Airtex	AW5051
	GMB	130-1690
	Engine Code	
	OEM#	12522034
		10174846
	Application Notes	91-93 Caprice 5.0/5.7L
		91-93 Roadmaster 5.0L/5.7L
	MAKE	GM
	OAW	G1700
	Airtex	AW5038
	GMB	130-1700
	Engine Code	
	OEM#	10081980
		12456326
	Application Notes	88-00 GM Truck 7.4L
	MAKE	GM
	OAW	G1720
	Airtex	AW5035
	GMB	130-1720
	Engine Code	
	OEM#	10048950
		10120943
	Application Notes	91-92 Isuzu Rodeo 3.1L
		91-93 PU Sonoma 2.8L




	MAKE	GM
	OAW	G1750
	Airtex	AW5070
	GMB	130-1750
	Engine Code	
	OEM#	12520914 12482692
	Application Notes	93-95 Camaro 3.4L 93-95 Firebird 3.4L
	MAKE	GM
	OAW	G1780
	Airtex	AW5075
	GMB	130-1780
	Engine Code	
	OEM#	12482903 12537829
	Application Notes	98-05 Monte Carlo 3.8L 97-05 Bonneville 3.8L
	MAKE	GM
	OAW	G1800
	Airtex	AW5054
	GMB	130-1800
	Engine Code	
	OEM#	21006933 21015340
	Application Notes	93-01 Sat SW Series 1.9L DOHC/SOHC
	MAKE	GM
	OAW	G1820
	Airtex	AW5077
	GMB	130-1820
	Engine Code	
	OEM#	12532528 12528917
	Application Notes	96-04 4.3L, 5.7L 96-02 5.0L
	MAKE	GM
	OAW	G1830
	Airtex	AW5062
	GMB	130-1830
	Engine Code	C,S
	OEM#	12514574 15633466
	Application Notes	92-96 6.5L DIESEL 88-93 6.2L DIESEL

		MAKE	GM
		OAW	G1840
		Airtex	AW5072
		GMB	130-1840
		Engine Code	9, Y
		OEM#	88894344
		Application Notes	12487361
			95-05 4.6L
			95-03 4.0L
		MAKE	GM
		OAW	G1920
		Airtex	AW6046
		GMB	130-1920
		Engine Code	
		OEM#	96182871
		Application Notes	96352647/49/50
			04-08 Aveo 1.6L
		MAKE	GM
		OAW	G2030
		Airtex	AW6053
		GMB	130-2030
		Engine Code	
		OEM#	97372515
		Application Notes	98031233
			06-13 Silverado Series 6.6L
			Diesel Turbo
<b>new</b> 		MAKE	GM
		OAW	130-2040
		Airtex	AW6154
		GMB	130-2040
		Engine Code	C
		OEM#	89017701
		Application Notes	89018165
			06-09 Impala 5.3L
			05-09 Grand Prix 5.3L
<b>new</b> 		MAKE	GM
		OAW	G2050
		Airtex	AW6184
		GMB	130-2050
		Engine Code	
		OEM#	1334142
		Application Notes	71739779
			09-11 Aveo 1.6L
			11-13 Cruze 1.8L

**new**



MAKE	GM
OAW	<b>G2060</b>
Airtex	AW6246
GMB	130-2060
Engine Code	E / U / W
OEM#	89018052
	12581580
Application Notes	05-08 Corvette 6.0L/7.0L
	04-07 CTS 5.7L/6.0L



MAKE	GM
OAW	<b>G5130</b>
Airtex	AW5103
GMB	130-5130
Engine Code	
OEM#	12566029
	92149009
Application Notes	08-13 Equinox 3.6L
	08-12 Malibu 3.6L




MAKE	GM
OAW	<b>G5980</b>
Airtex	AW5098
GMB	130-5980
Engine Code	
OEM#	97216136
	19168888
Application Notes	01-05 Silverado 6.6L
	01-05 Sierra 6.6L



MAKE	GM
OAW	<b>G6023</b>
Airtex	AW5023
GMB	130-6023
Engine Code	8
OEM#	3634789
	3636801
Application Notes	85-95 Deville 4.1L/4.9L
	86-93 Seville 4.1L/4.9L

**Discontinued**



MAKE	GM
OAW	<b>G7100</b>
Airtex	AW5068
GMB	130-7100
Engine Code	
OEM#	12527741
	12518277
Application Notes	93-97 Camaro Z28 5.7L
	94-97 Firebird 5.7L



**Discontinued**



MAKE	GM
OAW	G7110
Airtex	AW5069
GMB	130-7110
Engine Code	
OEM#	12527740
	12523502
Application Notes	94-96 Caprice 4.3L/5.7L
	94-96 Impala SS 5.7L



MAKE	GM
OAW	G7130
Airtex	AW5076
GMB	130-7130
Engine Code	T
OEM#	24577255
	24576875
Application Notes	97-99 Malibu 2.4L
	96-02 Grand Am 2.4L



MAKE	GM
OAW	G7240
Airtex	AW5085
GMB	130-7240
Engine Code	H
OEM#	12458115
	12455105
Application Notes	99-02 Olds Intrigue 3.5L
	01-02 Olds Aurora 3.5L













MAKE	GM
OAW	G7290
Airtex	AW5081
GMB	130-7290
Engine Code	G,S
OEM#	12458934
	88894345
Application Notes	97-04 Corvette 5.7L
	98-02 Camaro 5.7L

**Discontinued**



MAKE	GM
OAW	G7320
Airtex	AW5087
GMB	130-7340
Engine Code	V, B, T, Z
OEM#	88894290
	12458935
Application Notes	02-03 Escalade 5.3L/6.0L
	99-03 Silverado 5.3L/6.0L



 	MAKE	GM
	OAW	G7341
	Airtex	AW5104
	GMB	130-7341
	Engine Code	V, B, T, Z
	OEM#	89018166
	Application Notes	890174390
		99-06 Silverado 4.8L-6.0L
		03-06 H2 6.0 L
 	MAKE	GM
	OAW	G7350
	Airtex	AW5092
	GMB	130-7350
	Engine Code	
	OEM#	12591894
	Application Notes	12585226
		2000-10 Saturn 2.2L
		02-05 Cavalier 2.2L
 	MAKE	GM
	OAW	G7700
	Airtex	AW5097
	GMB	130-7700
	Engine Code	
	OEM#	24576952
	Application Notes	8126202260
		02-09 Trailblazer 4.2L
		02-09 Envoy 4.2L
 	MAKE	GM
	OAW	G9700
	Airtex	AW6145
	GMB	130-9700
	Engine Code	
	OEM#	19179031
	Application Notes	89017800
		05-09 Equinox 3.4L
		96 Grand Prix 3.4L
<b>new</b>  	MAKE	GM
	OAW	G9670
	Airtex	AW6009
	GMB	130-9670
	Engine Code	
	OEM#	12600767
	Application Notes	19208815
		07-09 4.8L,5.3L,6.0L V8
		09 6.2L Tahoe, Silverado

**new**



MAKE	GM
OAW	G9660
Airtex	AW6020
GMB	130-9660
Engine Code	
OEM#	89017757
	89060479
Application Notes	06-11 Impala 3.5L/3.9L
	06-10 Malibu 3.5L/3.9L

**new**



MAKE	GM
OAW	G9760
Airtex	AW6076
GMB	130-9760
Engine Code	
OEM#	89017764
	12583033
Application Notes	06-11 Lucerne 4.6L
	06-11 Cadillac DTS 4.6L

**Discontinued**



MAKE	Honda
OAW	HO1080
Airtex	AW9035
GMB	135-1080
Engine Code	EM, EP, EK
OEM#	19200-PC1-000
	19200-PA6-000
Application Notes	82-83 Accord 1.8L
	82 Prelude 1.8L

**Discontinued**








MAKE	Honda
OAW	HO1210
Airtex	AW9056
GMB	135-1210
Engine Code	A18A
OEM#	19200-PD6-000
	19200-PD2-660
Application Notes	83-87 Prelude 1.8L
	94-85 Accord 1.8L






**Discontinued**



MAKE	Honda
OAW	HO1220
Airtex	AW9069
GMB	135-1220
Engine Code	D15A
OEM#	19200-PE0-010
	19200-PE0-660
Application Notes	86-87 WAGOVAN 1.5L
	84-87 CRX 1.5L

	MAKE	Honda
	OAW	HO1230
	Airtex	AW9083
	GMB	135-1230
	Engine Code	A20A
	OEM#	19200-PH1-505 19210-PH1-515
	Application Notes	85-89 Prelude 2.0L 85-89 Accord 2.0L
<b>Discontinued</b> 	MAKE	Honda
	OAW	HO1250
	Airtex	AW9097
	GMB	135-1250
	Engine Code	C27A4
	OEM#	19200-P0G-A01 19200-PH7-003
	Application Notes	95-97 Accord 2.7L 86-90 Legend 2.7L
	MAKE	Honda
	OAW	HO1260
	Airtex	AW9130
	GMB	135-1260
	Engine Code	D13B, D15B, B16A
	OEM#	19200-PM3-014 19200-PM3-013
	Application Notes	88-95 Civic 1.5L/1.6L 88-91 CRX 1.5L/1.6L
	MAKE	Honda
	OAW	HO1270
	Airtex	AW9224
	GMB	135-1270
	Engine Code	B18A1, B18B1
	OEM#	19200-PR4-013 19200-PR4-003
	Application Notes	90-95 INTEGRA 1.8L
	MAKE	Honda
	OAW	HO1280
	Airtex	AW9209
	GMB	135-1280
	Engine Code	F22A, F22B, F23A
	OEM#	19200-P0A-003 19200-P0B-A01
	Application Notes	90-04 Accord 2.2L/2.3L 95-98 Odyssey 2.2L



	<table> <tr><td>MAKE</td><td>Honda</td></tr> <tr><td>OAW</td><td>HO1320</td></tr> <tr><td>Airtex</td><td>AW9250</td></tr> <tr><td>GMB</td><td>135-1320</td></tr> <tr><td>Engine Code</td><td>D15Z1, D16Z</td></tr> <tr><td>OEM#</td><td>19200-P08-004 19200-P08-003</td></tr> <tr><td>Application Notes</td><td>92-95 Civic 1.5L/1.6L 93-95 Civic del Sol 1.6L</td></tr> </table>	MAKE	Honda	OAW	HO1320	Airtex	AW9250	GMB	135-1320	Engine Code	D15Z1, D16Z	OEM#	19200-P08-004 19200-P08-003	Application Notes	92-95 Civic 1.5L/1.6L 93-95 Civic del Sol 1.6L
MAKE	Honda														
OAW	HO1320														
Airtex	AW9250														
GMB	135-1320														
Engine Code	D15Z1, D16Z														
OEM#	19200-P08-004 19200-P08-003														
Application Notes	92-95 Civic 1.5L/1.6L 93-95 Civic del Sol 1.6L														
	<table> <tr><td>MAKE</td><td>Honda</td></tr> <tr><td>OAW</td><td>HO1330</td></tr> <tr><td>Airtex</td><td>AW9273</td></tr> <tr><td>GMB</td><td>135-1330</td></tr> <tr><td>Engine Code</td><td>H22A4</td></tr> <tr><td>OEM#</td><td>19200-P13-003 19200-P13-000</td></tr> <tr><td>Application Notes</td><td>93-01 PRELUDE 2.2L</td></tr> </table>	MAKE	Honda	OAW	HO1330	Airtex	AW9273	GMB	135-1330	Engine Code	H22A4	OEM#	19200-P13-003 19200-P13-000	Application Notes	93-01 PRELUDE 2.2L
MAKE	Honda														
OAW	HO1330														
Airtex	AW9273														
GMB	135-1330														
Engine Code	H22A4														
OEM#	19200-P13-003 19200-P13-000														
Application Notes	93-01 PRELUDE 2.2L														
<p>Discontinued</p> 	<table> <tr><td>MAKE</td><td>Honda</td></tr> <tr><td>OAW</td><td>HO1340</td></tr> <tr><td>Airtex</td><td>AW9251</td></tr> <tr><td>GMB</td><td>135-1340</td></tr> <tr><td>Engine Code</td><td>H23A1</td></tr> <tr><td>OEM#</td><td>19200-P14-A00 19200-P14-A01</td></tr> <tr><td>Application Notes</td><td>93-96 PRELUDE 2.3L</td></tr> </table>	MAKE	Honda	OAW	HO1340	Airtex	AW9251	GMB	135-1340	Engine Code	H23A1	OEM#	19200-P14-A00 19200-P14-A01	Application Notes	93-96 PRELUDE 2.3L
MAKE	Honda														
OAW	HO1340														
Airtex	AW9251														
GMB	135-1340														
Engine Code	H23A1														
OEM#	19200-P14-A00 19200-P14-A01														
Application Notes	93-96 PRELUDE 2.3L														
	<table> <tr><td>MAKE</td><td>Honda</td></tr> <tr><td>OAW</td><td>HO1350</td></tr> <tr><td>Airtex</td><td>AW9218</td></tr> <tr><td>GMB</td><td>135-1350</td></tr> <tr><td>Engine Code</td><td>C32A1</td></tr> <tr><td>OEM#</td><td>19200-PY3-010 19200-PY3-000</td></tr> <tr><td>Application Notes</td><td>91-95 LEGEND 3.2L</td></tr> </table>	MAKE	Honda	OAW	HO1350	Airtex	AW9218	GMB	135-1350	Engine Code	C32A1	OEM#	19200-PY3-010 19200-PY3-000	Application Notes	91-95 LEGEND 3.2L
MAKE	Honda														
OAW	HO1350														
Airtex	AW9218														
GMB	135-1350														
Engine Code	C32A1														
OEM#	19200-PY3-010 19200-PY3-000														
Application Notes	91-95 LEGEND 3.2L														
	<table> <tr><td>MAKE</td><td>Honda</td></tr> <tr><td>OAW</td><td>HO1390</td></tr> <tr><td>Airtex</td><td>AW9352</td></tr> <tr><td>GMB</td><td>135-1390</td></tr> <tr><td>Engine Code</td><td>D16B5, D16Y5</td></tr> <tr><td>OEM#</td><td>19200-P2A-A01 19200-PDF-E01</td></tr> <tr><td>Application Notes</td><td>96-00 Civic 1.6L 96-97 Civic del Sol 1.6L</td></tr> </table>	MAKE	Honda	OAW	HO1390	Airtex	AW9352	GMB	135-1390	Engine Code	D16B5, D16Y5	OEM#	19200-P2A-A01 19200-PDF-E01	Application Notes	96-00 Civic 1.6L 96-97 Civic del Sol 1.6L
MAKE	Honda														
OAW	HO1390														
Airtex	AW9352														
GMB	135-1390														
Engine Code	D16B5, D16Y5														
OEM#	19200-P2A-A01 19200-PDF-E01														
Application Notes	96-00 Civic 1.6L 96-97 Civic del Sol 1.6L														




	MAKE	Honda
	OAW	HO1400
	Airtex	AW9349
	GMB	135-1400
	Engine Code	B18B1, B20Z2, B20B4
	OEM#	19200-P75-003 19200-PT5-000
	Application Notes	97-01 CR-V 2.0L 96-01 Integra 1.8L
	MAKE	Honda
	OAW	HO1500
	Airtex	AW9461
	GMB	135-1500
	Engine Code	K24A4, K24A8, K24Z1
	OEM#	19200-RAA-A01 19200-RAD-003
	Application Notes	03-07 Accord 2.4L 124mm pulley dia.
	MAKE	Honda
	OAW	HO1510
	Airtex	AW9495
	GMB	135-1510
	Engine Code	K20Z1, K20A2
	OEM#	19200-PRB-A01 19200-RBC-013
	Application Notes	02-06 RSX S-Type 2.0L 07-11 Civic 2.0L
	MAKE	Honda
	OAW	HO1520
	Airtex	AW9434
	GMB	135-1520
	Engine Code	K20A3, K24A2, K24Z1
	OEM#	19200-PNA-003 19200-PNL-E01
	Application Notes	02-06 RSX 2.0L 127.9mm Pulley Dia.
	MAKE	Honda
	OAW	HO1530
	Airtex	AW9470
	GMB	135-1530
	Engine Code	J30A4
	OEM#	19200-RCA-A01 19200-RDM-A01
	Application Notes	05-14 Odyssey 3.5L 21mm belt width

**new**



MAKE	Honda
OAW	<b>HO1610</b>
Airtex	AW6223
GMB	135-1610
Engine Code	K23A1
OEM#	19200-RWC-A01
Application Notes	07-12 RDX 2.3L Turbo




MAKE	Honda
OAW	<b>HO1620</b>
Airtex	AW6233
GMB	135-1620
Engine Code	K24Z3 / K24Z2
OEM#	19200-R40-A01
Application Notes	09-14 TSX 2.4L 08-12 Accord 2.4L



MAKE	Honda
OAW	<b>HO2210</b>
Airtex	AW9289
GMB	135-2210
Engine Code	B16A2
OEM#	19200-PT2-013 19200-P72-003
Application Notes	94-01 Integra GS-R 1.8L

**Discontinued**



MAKE	Honda
OAW	<b>HO2360</b>
Airtex	AW9354
GMB	135-2360
Engine Code	C35A1
OEM#	19200-P5A-004 19110-657-000
Application Notes	96-04 RL 3.5L



MAKE	Honda
OAW	<b>HO2380</b>
Airtex	AW9383
GMB	135-2380
Engine Code	J30A, J35A1, J35A4
OEM#	19200-P8A-A01/2/3 19200-PBA-A03
Application Notes	98-02 ACCORD 3.0L 27mm belt width